

Z.Tex 40E26

Water based adhesive for closing room assemblies

Z. Tex 40E26 is a concentrate natural rubber latex.

After drying the film keeps permanently elastic, flexible, with good cohesion and high tack at cold.

The low content of ammonia, hold as stabilizer, makes the product safe if during the use the normal safety cautions measures are fulfilled.

Applications

Thanks to maintenance of flexibility of the porous materials Z. Tex 40E26 is particularly suited for all lining operations, such as the bonding of upper to lining and on reinforcement materials, in which is required high green strength.

Characteristics

Composition	: natural rubber in water dispersion
Mode of setting	: by evaporation of water
Colour	: dispersion is white, turning transparent when drying

CHARACTERISTICS

pH	: 9 min.
Viscosity	: 600 -1400 mPa.s (Brookfield spindle 4, rpm 50, 25°C)

Values valid for product supply specification upon leaving the factory

METHOD OF USE

Application: Z Tex 40E26 can be applied by brush, by roller spreader. Normally the application is one way. One side should be permeable to water.

Assembly: Join the parts at "wet" immediately after the application of the adhesive, before the filmation starts. The filmation time depends mostly on the porosity of the material. Initial bond strength and cohesion are very high.

STORAGE STABILITY

12 months in the original sealed pack stored in a dry place at a temperature range +10°C+25° C. The product is affected by frost.

All recommendations relating to the application and use of Fratelli Zucchini products have been given in good faith, based on the company's knowledge and experience. Products must be appropriately stored, handled and applied in normal conditions, as indicated on their respective Technical Datasheet. The variability of materials, substrates and conditions of use is such that no warranty of their functionality for a specific application can be deducted from this information, written recommendation or any other type of suggestion offered. Each user has the responsibility to make adequate evaluations on the efficacy of Fratelli Zucchini materials, products, services, recommendations and suggestions for the specific application required and must accomplish sufficient testing to ascertain that the final product will be safe and sound for the final purpose of the end-user. Fratelli Zucchini cannot be considered liable for any damage, direct or indirect derived from an incorrect use of the products.
